



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

Reports of States and yearly and monthly reports of cities.

MAINE—*Portland*.—Four weeks ended May 14, 1898. Estimated population, 41,500. Total deaths, 53, including phthisis pulmonalis, 8; diphtheria, 2; measles, 1, and whooping cough, 1.

MARYLAND—*Baltimore*.—Month of April, 1898. Estimated population, white, 431,054; colored, 75,344; total, 506,398. Deaths, white, 611; colored, 198; total, 809, including phthisis pulmonalis, 88; enteric fever, 7; scarlet fever, 9; diphtheria, 21; measles, 6, and whooping cough, 7.

MICHIGAN.—Week ended May 21, 1898. Reports to the State board of health from 71 observers indicate that inflammation of bowels increased and pneumonia decreased in area of prevalence. Phthisis pulmonalis was reported present during the week at 159, measles at 59, scarlet fever at 31, enteric fever at 26, diphtheria at 17, and whooping cough at 15 places.

NEW JERSEY—*Hudson County*.—Month of April, 1898. Estimated population, 370,608. Total deaths, 557, including phthisis pulmonalis, 63; enteric fever, 8; scarlet fever, 8; diphtheria, 14; measles, 7; and whooping cough, 5.

NEW YORK—*Yonkers*.—Month of April, 1898. Estimated population, 42,000. Total deaths, 60, including phthisis pulmonalis, 5; diphtheria, 6, and measles, 1.